


Manual highlifter

Quality in working height!

With a highlifter you are always ensured correct ergonomic working height, when you transport, lift and handle items on pallets.

The highlifter has an elegant design with focus on safety and ease of use. The rounded corners reduce risks of damaging surroundings when you move it around and the shape of the handle ensures an ergonomic and relaxed hold.

We guarantee high quality through an extended test programme and in cooperation with experts in Health and Safety.

 Download pictures
(/ZipFiles/20290/Manual highlifter.zip)



EFFICIENCY

- The working height can be adjusted
- Opportunities for optional extras
- Great manoeuvrability
- Capacity 1,500 kg to lifting height 470 mm.
- Capacity 1,000 kg from lifting height 470 mm to 800 mm.
- Neutral position of the handle

ERGONOMICS

- Ergonomically correct handle
- Individual adjustment
- Rounded corners
- Low truck weight
- Very low power for the pump function

SAFETY

- Foot protection
- Central location of control buttons
- Low overall height
- Supporting feet at steering wheels
- Tandem wheels on scissors legs

DURABILITY

- Long operating life
- Low maintenance costs
- Reliable cylinder construction
- Strong construction
- Use of quality materials



Customised
features



Download

Leaflet
(/flipbook?)

Logo or brand name (/en/products/optional-extras/logo-or-brand-name/)

Colour options (/en/products/optional-extras/colour-options/)

m=1880&p=2)

Why Logitrans? (/media/4110/highlifter.pdf)

What to consider if custom-built product needed (/media/1342/highlifters_en.pdf)

Instruction manual/Spare parts list (<http://techdoc.logitrans.dk/Techdoc.nsf/Public.xsp?openxpage&type=1&lang=en&ProductType=HL%201006&Language=en>)